Attached is Additional Information for Agenda Item #39

First of Two Public Hearings on the Chapter 163
Development Agreement for Fallschase

Board of County Commissioners Meeting of Tuesday, October 25, 2005

This document distributed: October 24, 2005

Florida Department of Transportation

JEB BUSH **GOVERNOR**

Post Office Box 607 1074 Highway 90 Chipley, Florida 32428-0607 DENVER J. STUTLER, JR. **SECRETARY**

Planning Department October 18, 2005

Mr. Herbert W.A. Thiele, County Attorney County Attorney's Office 301 South Monroe Street, Suite 202 Leon County Courthouse Tallahassee, Florida 32301

Re:

Fallschase DRI - Tallahassee, FL

Review of the Draft Traffic Assessment

Dear Mr. Thiele:

We have received the September 28, 2005 DRAFT Traffic Assessment Memorandum for the Fallschase Development of Regional Impact (DRI). The Fallschase DRI is located in Tallahassee, Florida. In general, the Applicant's submittal is a draft document, and a final report has not been submitted to FDOT for formal review.

Based on our review of this draft document, we have the following comments:

General

- The Applicant has proposed changes to several components of the vested development: (1) significant revisions to the size and composition of commercial/office space and residential units, (2) changes in the proposed location of key land uses, the introduction of new proposed land use types, the use of additional land for development, and changes to access driveway locations and overall traffic patterns. It is the Department's position that the Applicant should reevaluate the traffic impacts to the adjacent roadway system using standard transportation engineering and planning methodologies approved by the affected governmental agencies. As agreed with the Applicant several months ago, since the beginning of the NOPC process, the Department has yet to received a proposed methodology statement to address any land use changes.
- Until an agreement is reached between the Applicant and affected governmental agencies regarding the type and intensity of development which is considered vested, a formal review of submitted documentation cannot be accomplished by the FDOT.
- The submitted DRAFT Traffic Assessment is an incomplete document, which is missing standard traffic impact study content, and does not follow the common professional practice for recommending proposed traffic operational improvements.

Analysis

- The fitted curve equation for the General Office (ITE Code 710) is incorrect.
- The draft analysis reduces the total PM Peak Hour trips using an incorrect application of internal capture. A reduction in total trips cannot be assumed for the interaction of vehicle trips between the proposed development areas north and south of Buck Lake Road.
- The Applicant has not included the new proposed movie theatre in the calculation of estimated PM peak hour trips. This is a separate land use which has not been analyzed previously, and has different trip characteristics.
- The Applicant attempts to determine the maximum proposed development scenario allowed. Results of the Applicant's proposed development's trip generation results must be compared to that of the original vested development's trip generation results (using original land use categories and sizes). This comparative information has not been provided.
- According to Leon County staff, it is our understanding that the Applicant's use of 3,659 total trips to determine a maximum development scenario is not an official number to be used for local concurrency evaluation. Furthermore, common practice involves using the "net new external trips" (for both entering and exiting traffic), not "total" trips, to compare the Applicant's proposed development with the vested development. Using the vested development scenario provided by Leon County, the attached trip generation table indicates that the maximum allowable size of commercial use should be significantly less than proposed by the Applicant by approximately 300,000 square feet.
- The Applicant's proposed changes in the amount of commercial/office square footage and residential units results in a significant difference in the enter/exit vehicle split of the overall development. Therefore, the Applicant's proposed PM peak hour trip generation table, when compared to the net new external trips for the vested development, indicates an increase in the net new external "entering" trips of about 23 percent. Therefore, the development (as proposed by the Applicant) would be subject to a local concurrency determination evaluation.
- The implication that year 2007 corresponds to the buildout year of the proposed development is not reasonable. It is more reasonable to assume the project buildout year is at least 10 years from now. This assumption affects the calculation of pass-by trips in the Applicant's PM peak hour trip generation table and will also affect the type of roadway improvements that will be required adjacent to the project site at buildout.
- Proposed roadway and intersection geometric recommendations do not demonstrate that adopted Level of Service (LOS) requirements have been satisfied for the development at project buildout.

Information

- The FDOT has not been provided with sufficient information in the DRAFT Traffic
 Assessment to conduct a complete review of the proposed development's traffic
 impacts and suggested recommendations. The following information is missing and
 must be provided to conduct a complete review:
 - 1. Trip Generation for the original vested development land uses (used to compare with the proposed development scenario)
 - 2. Traffic distribution map. The Applicant should consider the revised traffic patterns and distribution appropriate for the proposed increases in commercial space and reductions in the office and residential uses.
 - 3. Level of Service (LOS) analyses supporting the Applicant's proposed recommended geometric improvements. The analyses must demonstrate that adopted LOS standards have been satisfied based on the projected buildout year.
- Further questions or reviews may be forthcoming based upon future responses or analysis submittals provided by the Applicant.

Concluding Remarks

Regardless of the project's vesting status, the Applicant is also required to submit appropriate documentation with supporting analyses to the FDOT for obtaining driveway connection and utility permits for the proposed development. A traffic signal warrant study will be required for each traffic signal proposed by the Applicant on the state highway system. Appropriate traffic operational analyses and recommendations must be submitted for review to the FDOT, signed and sealed by a qualified professional engineer licensed in the State of Florida.

In the event that changes to the development land uses affect the project's vesting status, the FDOT will require a revised methodology statement from the Applicant, identification of a larger study area, and subsequent traffic impact study analyses for roadway links and intersections, consistent with DRI requirements.

This concludes our review of the Applicant's DRAFT traffic study at this time. Upon further review of a final analyses and documentation, the FDOT may have additional questions regarding the proposed project. If you have any questions regarding this review, please call.

Sincerely,

Glenda Duncan

Planning Administrator

Attachment

copies: Tommy Barfield

Craig Gavin

Lenda Duncan

Richard Barr and Dave Muntean, Kimley-Horn and Associates, Inc.

Robert Downie, General Counsel

Bryant Paulk

						10
			_	Exit	822	68 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
		Net New	External Trine	Enter	775	13 308 0 160 0
		z	EE .	Total Enter Exit	1,597 775	83 478 0 0 0 0 0 2,386
		П	ss-by	Exit	347	0 83 0 478 0 0 0 228 0 0
			by P	- 1	326	
		Pass-by	Pass	y Ir	\vdash	
		1	Tota	Pass-by Trips	673	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
			!	Pass-by	79 7%	0% 0% 0% 0% 0% 22.0%
	out	Total	Total Internal Internal External % Total Pass-by Pass-by	Trips Pass-by Pass-by 1rips Trips Enter	270	
	TABLE 4 TABLE 4 FALLSCHASE PROPOSED DEVELOPMENT PLAN (per MBC 69/29/05) - 2015 Buildout THE CENTRAL TOTAL PM PRAK HOUR	F	E E	Exit	Į.	
		,	al Inte		╂	
		1	Intern	Ente	ŀ	110 0 0 300
		Internal Cantille	Total	Internal		298 29 185 0 0 0
			*	Internal Internal Enter		11.6% 25.9% 27.9% 0.0% 0.0%
		-	<u> </u>		ı X	1,335 93 245 0 104 0
		-			L	1,233 19 19 19 0 0 212 0 0
				Total	Trips Enter Exit	
١		₹├				KSF La(T)=0.66*La(X)+3.4 2,568 KSF La(T)=0.737*La(X)+1.831 112 DU La(T)=0.797*La(X)+0.831 112 DU La(T)=0.99*La(X)+0.54 DU La(T)=0.99*La(X)+0.54 DU La(T)=0.82*La(X)+0.32 DU La(T)=0.82*La(X)+0.32 DU T=0.55*(X)+17.65
					112	KSF La(T)=0.66*La(X)+3.4 KSF La(T)=0.737*La(X)+1.831 DU La(T)=0.99*La(X)+0.53 DU La(T)=0.99*La(X)+0.54 DU La(T)=0.82*La(X)+0.32 DU T=0.55*(X)+17.65
					Formula	-0.66* 0.737*1 -0.90*1 -0.90*1 -0.82*1
l	FALLS					
١					Units	KSF KSF DO DO DO
١		-			Size	848.5 50 757 0 757 0
١						nse
١					ž	ousing Fownho
١					Land Use Type	Ed.) ched He
1					Land	enter ce (5th ly Deta le Condon
						ping Ceral Offi e-Fami er Hom lential (
			_	70	72	Signature (2015) Shopping Center 710 General Office (5th Ed.) 210 Single-Family Detached Housing Cluster Home 230 Residential Condominium/Townhouse 220 Multifamily
				Land	# de I	21C 21C 230 230

Vested Development Land Uses, Provided by Leon County

_	-	Т				7	بو	Ţ.			_	_	~	_	7	-	3
			έ¥	13	ļ	ايو	r Exi	ľ	354	424	Í	'n	203		-	113	1,1
		ľ	Net New	External		Trips	Total Enter Exit		380	,		<u></u>	428	_	7,	- U S	
			_	-					774		, 1	120	69	}	*	,000	10tal 2,200
			ļ	Doce.h	1	Trips	F.v.		202		>	0	<	,	0		Total
			ργ	10.00 hay	233-03	Trips	Luter	2310	196	3 ,	- -	0	<	,	0		
			Pass-by		T Otal	AQ-SSE			306	2	0	0	_		0	١	398
					% 101al Fass-Dy 1 453-Dy	Trine Pace, hy Pass-by Trips	7	-	/07.0	24.70	%	%		%	%0		15%
	Year		Total	Total Internal Internal External						1,1/2	497	156	. ;	63	148		2,604
	ildout }		l	Ţ	FIRE	-	EVII		ŀ	col	77	_	2	39		1	185
	Any Bu			2	lal Inte	6				_	•	_					
l	INTY -	æ	Internal Conture		Interp		Fore			71	2.1		<u>-</u>	63		3	185
	HE COC	TRIP GENERATION - PM PEAK HOUR	Integral	121121	Total		Juterna	Trips		176	43	} }	9	102		57	370
	: 5 'N per T	PM PE/			%	•	Internal Internal Enter			701 13.1%	790	2.	13.9%	73 0%	, ,	3.7%	2.974 1.456 1.518 12.4%
	TABLE 5	NOL	r		_		_	r.		701	077	ŕ	69	242	;	8	<u>1</u> 518
l	ORD	NERA'		_		_		Trine Puter Pail		647	. 6	7,6	=	101	1	112	
١	MENT	P GE					Total	į	3	1 348		KSF Ln(T)=0.737*Ln(X)+1.831 340	DIT 1,n(T)=0,90*Ln(X)+0.53 181	733	DO La(1)=0.82*La(A)+0.54 755	172 112 60	2.974
١	1014/	F								+3.4		1.831	53		7.7		1
	er ne	20 ac							rormuia	(#1 +/ (Y)	((X)	Š	1	3	S+14	
١	,	FALLSCHASE DEVELOPMENT OF TEATURE CONTRACTOR TRIP FALLSCHASE DEVELOPMENT TRIP GENERATION - PM PEAK HOUR			1				LOL	7 O-(1	3	10.737	96.0	6	79.0	T=0.55*(X)+17.65	
									•	1	1	<u> </u>	1.0	ί,	3		ŀ
							_							_		Z	
				L	_				Size	9.00	2	425	120	1	2112	,	3
														20.	house		
									VDe				Tions,	menou	m/Town		
									Land Use Type			th Ed.)	1	rachen	ominino		ł
									T e.		820 Shopping Center	710 General Office (5th Ed.)		210 Single-Family Detached from the	230 Residential Condominium/Townhouse		<u> </u>
											Buiddor	neral C		ngic-ra	sidentia	;	220 iMultifamily
				ŀ			_	Land	# 001		820 SI	710	2 :	210 27	230 R		220 IM
	\sqsubseteq		_	1			- '	_	-	ار	_	_	_	_	_	_	_

2015 Buildout – Maximum Allowable Commercial Using Net New External Trips

		Net New	External	Trine	Total Enter Exit	TOTAL PARKET	1,152 558 594	13 77		332 187	0 0	248 172 76	0 0	SECOND SECOND	Total 2,004 F.U.5 929
			Total Passahy Pass-by	1	1		308	<	> 1	0	0	٥	•	,	Total
		-by	Poss-hv	7 20 1	S	£.nter	288	,	>	0	0	_		>	288
		Pass-by	Total		rass-by	Lrips	594		>	0	0	_	, (3	594
ass-by	!			•	Pass-by Pass-by 1 nps		34 0%		% 0	%	%0	ò		%0	22.9%
it and Max P		Total			Trips		1 746	-	\$2	519	•		047	0	2,598
15 Buildou			Ī	Internal	Exi		130	3	21	82		> ;	87	0	237
7/05) - 20]		Antura		Total Internal Internal	Enter		20.	3	9	98	3	>	04	0	237
KHA 10/0	TRIP GENERATION - PM PEAK HOUR	Tatana Cantura	1012	Total	Internal Internal Enter	Trins		3	27	7		5	88	0	474
E 6	- PM PE			×	Internal			11.3%	24 1%	100	7.1.7	*6.0	21.7%	%00	1 077 1 600 1 477 15 48% 474
TABLE 6	ATION					ţ.	T.AII	1.030	ő		742	•	104	-	֧֧֧֓֞֟֝֟֝֓֓֓֓֓֓֟֝֓֟֝֓֟֝֟֝֓֟֝֓֟֟֝֓֓֟֝֟֝֓֟֝֟֝֓֓֟֝֟֝֓֓֟֝֟֝֓֓֟֝֟֝֟֝֓֓֓֟֝֟֜֝֡֡֡֝֡֡֡֡֝֡
id LN	ENT PL					marine Durker Dafe	S EDIC	951	2	1	4 ×	0	212		
Diago	TR		_	_	Total	į		80	:	7 7	993	0	316		֓֞֟֓֓֓֓֓֓֓֓֓֟֟֓֓֓֓֓֟֟֓֓֓֓֓֟֟֓֓֓֓֓֓֓֓֓֓
TABLE 6 TABLE 6 TABLE 6 TABLE 6 TABLE 6 TABLE 6	ISE FROFOSED DEVE						Formula	11.9% 11.9% 11.9% 11.9% 11.9%		KSF Lu(1)=0./3/"Lu(A)#1.651 112	Ln(T)=0.90*Ln(X)+0.53	1 n(T)=0.90*Ln(X)+0.54	1 (T) 8241 p(X)#0 32		I=0.55*(X)+17.05
	LSCH						Size Units	T. C. C. C.	2	KSF	2	1		3	B
	¥		_				Size		2	Ş	757	-	, [č	0
							1.and Use Type		820 Shopping Center	710 General Office (5th Ed.)	250 Chale Bernily Detached Housing	Company of the compan	210 Cluster Home	230 Residential Condominium/Townhouse	220 Multifamily
			1			Land	1100	,	820	710		717	210	230	220

Note: Provision of the above calculations does not serve to endorse the use of 3,659 total trips as the official number for use in the concurrency evaluation.

P:042176 - FDOT District 3/010 - TWO #4 - Growth Man-DRI Reviews/3110 - Fallschase/Analysis/Summary of Regults 051018 doc